

167,155.÷

1 31.=

5,392.09677419*

5,392.09677419x

10.%

539.209677419*

539.20967741+

5,931.3064516*

Ang.

PRETREATMENT MONITORING REPORT

NOV 12 2008

NAME: Honeywell International Inc., Study Area 7MAILING ADDRESS: 101 Columbia Rd, (Attn: Helen Fahy (SOL-4)) Morristown, NJ 07962FACILITY LOCATION: 80 Kellogg St, Jersey City, NJ 07305CATEGORY & SUBPART: Not Applicable OUTLET #: 1CONTACT OFFICIAL: Helen Fahy TELEPHONE: 973-455-2989NEW CUSTOMER ID / OUTLET ID: 31630005-1 OLD OUTLET DESIGNATION: _____**MONITORING PERIOD**

Start			End		
10	01	08	10	31	08
MO	DAY	YR	MO	DAY	YR

Average

Maximum

Regulated Flow-gal/day

Total Flow-gal/day


5,392

5,931
(see attached)Method Used: Blue-White Cat. No. RT-200MI-GPM2 Flowmeter

Production Rate (if applicable) _____

PARAMETER		MASS OR CONCENTRATION			# OF SAMPLES	SAMPLE TYPE
		MON AVG	MAXIMUM	UNITS		
Chromium	Sample Measurement	0.31	2.16	lb/day	8	COMP
	Permit Requirement	13.44	23	lb/day		
Cadmium	Sample Measurement	<0.003	<0.003	mg/l	1	COMP
	Permit Requirement	0.19		mg/l		
Copper	Sample Measurement	0.0547	0.0547	mg/l	1	COMP
	Permit Requirement	3.02		mg/l		
Lead	Sample Measurement	0.0231	0.0231	mg/l	1	COMP
	Permit Requirement	0.54		mg/l		
Nickel	Sample Measurement	0.0612	0.0612	mg/l	1	COMP
	Permit Requirement	5.9		mg/l		
Mercury	Sample Measurement	0.00065	0.00065	mg/l	1	COMP
	Permit Requirement	0.08		mg/l		
Zinc	Sample Measurement	0.132	0.132	mg/l	1	COMP
	Permit Requirement	1.67		mg/l		
SGT-HEM; Non-Polar Material	Sample Measurement	<5.2	<5.2	mg/l	1	GRAB
	Permit Requirement		100	mg/l		
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					

PVSC FORM MR-1 REV: 4 6/87 P1

PRETREATMENT MONITORING REPORTCertification of Non-Use if applicable (use additional sheets): _____

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every

parameter used: _____

_____Explain Method for preserving samples: Monthly and daily metals are preserved with HNO3.SGT-HEM samples are preserved using HCl. BOD samples are collected in a refrigerated sampler.All samples are iced in a cooler during transport to the lab.

I certify under penalty of law that this document and attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete.

I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

A handwritten signature in blue ink, appearing to read "John J. Morris".

Signature of Principal
Executive or Authorized AgentJohn J. MorrisRemediation Portfolio Director

Type Name and Title

11/12/08

Date

Honeywell International Inc., Study Area 7 (316300005-1) PVSC DAILY OPERATING LOG																	MONTH: October 2008		
DATE	OPERATOR	PREVIOUS TOT.	CURRENT TOT.	DAILY FLOW	MGD	pH	TOTAL CR	SGT-HEM	BOD5	CD	CU	PB	NI	HG	ZINC	CR LBS/DAY			
				Permit Limit	0.2376	5-10.5		100 mg/l		0.19 mg/l	3.02 mg/l	0.54 mg/l	5.9 mg/l	0.08 mg/l	1.67 mg/l	23 #/day			
				gallons/day		pH Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	lbs/day			
10/1/2008	Frank Schroyer	5998400	6011410	13,010	0.01301	8.74	14.90									1.62			
10/2/2008	Frank Schroyer	6011410	6030863	19,453	0.019453	8.43	4.34									0.70			
10/3/2008	Frank Schroyer	6030863	6030863	0	0	N.F.										0.00			
10/4/2008	Automode	6030863	6030863	0	0	N.F.										0.00			
10/5/2008	Automode	6030863	6030863	0	0	N.F.										0.00			
10/6/2008	Frank Schroyer	6030863	6030863	0	0	N.F.										0.00			
10/7/2008	Frank Schroyer	6030863	6030863	0	0	N.F.										0.00			
10/8/2008	Frank Schroyer	6030863	6049836	18,973	0.018973	7.57	4.30									0.68			
10/9/2008	Frank Schroyer	6049836	6049836	0	0	N.F.										0.00			
10/10/2008	Frank Schroyer	6049836	6066434	16,598	0.016598	9.04	15.60	<5.2	10.2	<0.003	0.0547	0.0231	0.0612	0.00065	0.132	2.16			
10/11/2008	Automode	6066434	6066434	0	0	N.F.										0.00			
10/12/2008	Automode	6066434	6066434	0	0	N.F.										0.00			
10/13/2008	Frank Schroyer	6066434	6066434	0	0	N.F.										0.00			
10/14/2008	Frank Schroyer	6066434	6066434	0	0	N.F.										0.00			
10/15/2008	Frank Schroyer	6066434	6066434	0	0	N.F.										0.00			
10/16/2008	Automode	6066434	6066434	0	0	N.F.										0.00			
10/17/2008	Frank Schroyer	6066434	6066434	0	0	N.F.										0.00			
10/18/2008	Automode	6066434	6066434	0	0	N.F.										0.00			
10/19/2008	Automode	6066434	6066434	0	0	N.F.										0.00			
10/20/2008	Frank Schroyer	6066434	6066434	0	0	N.F.										0.00			
10/21/2008	Frank Schroyer	6066434	6066434	0	0	N.F.										0.00			
10/22/2008	Frank Schroyer	6066434	6066434	0	0	N.F.										0.00			
10/23/2008	Frank Schroyer	6066434	6066434	0	0	N.F.										0.00			
10/24/2008	Frank Schroyer	6066434	6086424	19,990	0.01999	7.80	4.75									0.79			
10/25/2008	Automode	6086424	6086424	0	0	N.F.										0.00			
10/26/2008	Automode	6086424	6086424	0	0	N.F.										0.00			
10/27/2008	Frank Schroyer	6086424	6086424	0	0	N.F.										0.00			
10/28/2008	Frank Schroyer	6086424	6117680	31,256	0.031256	10.09	7.18									1.87			
10/29/2008	Frank Schroyer	6117680	6117680	0	0	N.F.										0.00			
10/30/2008	Frank Schroyer	6117680	6149050	31,370	0.03137	7.22	4.99									1.31			
10/31/2008	Frank Schroyer	6149050	6165555	16,505	0.016505	7.35	4.27									0.59			
TOTAL				167,155	0.167155			<5.2	10.2	<0.003	0.0547	0.0231	0.0612	0.00065	0.132				
			High:	31,370	Note: N.F. means no flow for the day.										High:	2.16			
			Average:	5,392											Average:	0.31			


11/12/2008 1:51:52 PM

Honeywell

Honeywell

Page 3

Ang.

PRETREATMENT MONITORING REPORTNAME: Honeywell International Inc., Study Area 7MAILING ADDRESS: 101 Columbia Rd, (Attn: Helen Fahy (SOL-4)) Morristown, NJ 07962FACILITY LOCATION: 80 Kellogg St, Jersey City, NJ 07305CATEGORY & SUBPART: Not ApplicableOUTLET #: 1CONTACT OFFICIAL: Helen FahyTELEPHONE: 973-455-2989NEW CUSTOMER ID / OUTLET ID: 31630005-1 OLD OUTLET DESIGNATION: _____**MONITORING PERIOD**

Start			End		
10	01	08	10	31	08
MO	DAY	YR	MO	DAY	YR

Average

Maximum

Regulated Flow-gal/day

Total Flow-gal/day

5,392

31,370

(see attached)

Method Used: Blue-White Cat. No. RT-200MI-GPM2 Flowmeter

Production Rate (if applicable) _____

PARAMETER		MASS OR CONCENTRATION			# OF SAMPLES	SAMPLE TYPE
		MON AVG	MAXIMUM	UNITS		
Chromium	Sample Measurement	0.31	2.16	lb/day	8	COMP
	Permit Requirement	13.44	23	lb/day		
Cadmium	Sample Measurement	<0.003	<0.003	mg/l	1	COMP
	Permit Requirement	0.19		mg/l		
Copper	Sample Measurement	0.0547	0.0547	mg/l	1	COMP
	Permit Requirement	0.02		mg/l		
Lead	Sample Measurement	0.0231	0.0231	mg/l	1	COMP
	Permit Requirement	0.54		mg/l		
Nickel	Sample Measurement	0.0612	0.0612	mg/l	1	COMP
	Permit Requirement	5.9		mg/l		
Mercury	Sample Measurement	0.00065	0.00065	mg/l	1	COMP
	Permit Requirement	0.08		mg/l		
Zinc	Sample Measurement	0.132	0.132	mg/l	1	COMP
	Permit Requirement	1.67		mg/l		
SGT-HEM; Non-Polar Material	Sample Measurement	<5.2	<5.2	mg/l	1	GRAB
	Permit Requirement		100	mg/l		
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					
	Sample Measurement					
	Permit Requirement					

PVSC FORM MR-1 REV: 4 6/87 P1

11/12/2008 1:52:05 PM

Honeywell

Honeywell

Page 4

PRETREATMENT MONITORING REPORT

NOV 12 2008


Certification of Non-Use if applicable (use additional sheets):

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used:

Explain Method for preserving samples: Monthly and daily metals are preserved with HNO₃.SGT-HEM samples are preserved using HCl. BOD samples are collected in a refrigerated sampler.All samples are iced in a cooler during transport to the lab.

I certify under penalty of law that this document and attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988


Signature of Principal
Executive or Authorized Agent

John J. MorrisRemediation Portfolio Director

Type Name and Title

11/12/08

Date

11/12/2008 1:52:37 PM

Honeywell

Honeywell

Page 6

Honeywell International Inc., Study Area 7 (316300005-1) PVSC DAILY OPERATING LOG MONTH: October 2008																
DATE	OPERATOR	PREVIOUS TOT	CURRENT TOT	DAILY FLOW	MSD	pH	TOTAL CR	SGT-HCM	EQ05	CD	CU	PB	NI	HG	ZINC	CR LESDAY
				Permit Limit	0.2376	5-10.5		100 mg/l		0.19 mg/l	3.02 mg/l	0.54 mg/l	5.9 mg/l	0.06 mg/l	1.67 mg/l	23 #/day
				gallons/day		pH limits	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	lb/day
10/1/2008	Frank Schroyer	5985400	6011410	13,010	0.01801	8.74	14.90									1.82
10/2/2008	Frank Schroyer	6011410	6030863	18,453	0.019453	8.43	4.34									0.70
10/3/2008	Frank Schroyer	6030863	6030863	0	0	N.F.										0.00
10/4/2008	Automode	6030863	6030863	0	0	N.F.										0.00
10/5/2008	Automode	6030863	6030863	0	0	N.F.										0.00
10/6/2008	Frank Schroyer	6030863	6030863	0	0	N.F.										0.00
10/7/2008	Frank Schroyer	6030863	6030863	0	0	N.F.										0.00
10/8/2008	Frank Schroyer	6030863	6049836	18,973	0.018973	7.57	4.30									0.68
10/9/2008	Frank Schroyer	6049836	6049836	0	0	N.F.										0.00
10/10/2008	Frank Schroyer	6049836	6056434	16,598	0.016598	9.04	15.60	<5.2	10.2	<0.003	0.0547	0.0231	0.0612	0.00065	0.132	2.16
10/11/2008	Automode	6056434	6056434	0	0	N.F.										0.00
10/12/2008	Automode	6056434	6056434	0	0	N.F.										0.00
10/13/2008	Frank Schroyer	6056434	6056434	0	0	N.F.										0.00
10/14/2008	Frank Schroyer	6056434	6056434	0	0	N.F.										0.00
10/15/2008	Frank Schroyer	6056434	6056434	0	0	N.F.										0.00
10/16/2008	Automode	6056434	6056434	0	0	N.F.										0.00
10/17/2008	Frank Schroyer	6056434	6056434	0	0	N.F.										0.00
10/18/2008	Automode	6056434	6056434	0	0	N.F.										0.00
10/19/2008	Automode	6056434	6056434	0	0	N.F.										0.00
10/20/2008	Frank Schroyer	6056434	6056434	0	0	N.F.										0.00
10/21/2008	Frank Schroyer	6056434	6056434	0	0	N.F.										0.00
10/22/2008	Frank Schroyer	6056434	6056434	0	0	N.F.										0.00
10/23/2008	Frank Schroyer	6056434	6056434	0	0	N.F.										0.00
10/24/2008	Frank Schroyer	6056434	6056434	18,980	0.018980	7.80	4.75									0.79
10/25/2008	Automode	6056424	6056424	0	0	N.F.										0.00
10/26/2008	Automode	6056424	6056424	0	0	N.F.										0.00
10/27/2008	Frank Schroyer	6056424	6056424	0	0	N.F.										0.00
10/28/2008	Frank Schroyer	6056424	6117680	31,255	0.031255	10.09	7.18									1.87
10/29/2008	Frank Schroyer	6117680	6117680	0	0	N.F.										0.00
10/30/2008	Frank Schroyer	6117680	6149050	31,370	0.031370	7.22	4.99									1.31
10/31/2008	Frank Schroyer	6149050	6165555	16,505	0.016505	7.35	4.27									0.59
TOTAL				167,155	0.167155			<5.2	10.2	<0.003	0.0547	0.0231	0.0612	0.00065	0.132	2.16
			High: 31,370 Average: 5,362			Note: N.F. means no flow for the day.									Average:	0.31